



## Dishwasher Specifications

**Model** **HSCM15FS**

Type description Free standing  
 Colour (FS) Stainless Steel

### PERFORMANCE

Energy rating	Star	4
Water rating	Star	5
Comparative energy consumption	kWh/ year	246
Energy consumption	kWh/ cycle	0.654
Water consumption	L/ year	4453
Water consumption	L/ cycle	12.2
Standby On consumption	W	0.49
Standby Off consumption	W	0.45
ECO program duration	min	203
Left On mode duration	min	15
Place settings		15
Noise level	dB	47

### DESIGN

Control panel type		Touch control
Control panel colour		(FS) Silver / (FB) Black
Logo		Hisense
Buttons colour		Black
Door type		Free standing
Door colour		(FS)Steel / (FB) Black
Door frame		No
Plinth type		Free standing
Plinth colour		(FS) Steel / (FB) Black
Hinges		Normal
Adjustable feet		Yes
Feet height adjustment	mm	50
Side panels/ colour		(FS) Steel / (FB) Black
Top type		Flat cover
Top colour		(FS) Silver / (FB) Black
Back cover material		Polypropylene

### CONTROLS

Control unit type		Microprocessor
Programs selection		Touch control
Programs indication		LED white display
Number of washing temperatures		8
Wash water temperature range	°C	40 to 70
Rinse water temperature range	°C	44 to 75

Number of buttons		6
On / Off button		Yes
Start / pause button		Yes
Program button		Yes
Delay time button		Yes
Alternative functions button		Yes
Child lock		Yes
Automatic door open button		Yes
Visual signal at end of program		On display
Audible signal at end of program		Yes

## PROGRAMS

Number of programs		8
Intensive (Duration, Wash temp, Rinse temp )	min, °C, °C	175, 62, 70
Eco	min, °C, °C	203, 47, 44
1 Hour	min, °C, °C	60, 60, 60
Quick	min, °C, °C	30, 55, 55
Pre-wash	min, °C, °C	8, -, -
Auto	min, °C, °C	150, 45 to 55, 65
Glass	min, °C, °C	130, 40, 60
Hygiene	min, °C, °C	178, 70, 75

## BASKETS

Basket colour		Gray
Basket configuration (Top to bottom)		Cutlery, Upper, Lower
Upper basket foldable cup holders		Yes
Upper basket positioning		Adjustable empty or loaded
Foldable plate holders (Upper basket, Lower basket)		Upper basket: 2 Lower basket: 2
Cutlery basket		Yes
Basket handle		Yes
Basket handle logo inlay		On upper and lower baskets

## CHARACTERISTICS

Lower spray arm material		Plastic
Top spray arm material		Plastic
Filter type		Plastic and steel
Rinse-aid dosing		Electronic
Anti flood water supply hose (AquaStop)		Yes
Inlet hose length cm	cm	150
Drain hose length cm	cm	140
Motor type		Brushless DC
Water diverter valve (Dual Zone)		Yes
Heating element		Concealed
Water sensor		Yes
Total Dry (door opens at end of cycle)		Yes
Water supply		Cold
Power supply		220-240 Vac 50Hz
AC power plug type		IEC type I (Australia)
Net weight (net/ gross)	kg	43.8
Net dimension (WxHxD)	mm	598 x 845 x 600

## OPTIONS

User interface	Touch control
Automatic door opening	Yes
Anti syphon (backflow prevention)	Yes
Status lights	Illuminated icons
Washer interior light	Yes

## DOCUMENTS

User manuals	Yes
Installation instructions	Yes
Warranty statement	Yes
Service spare parts	Yes
Service manual	Yes
Detergents sample	Yes

## PACKAGING

Packaging dimension (WxHxD)	mm	645 x 890 x 645
Weight with packaging (Kg)	kg	49.3
Packaging material		Carton Box