

Series 6, built-under dishwasher, 60 cm, Stainless steel SMP66MX04A



(((+	<u>тт</u>	\square	
		•	
ExtraDry	Rackmatic	InfoLight	AquaStop

SGZ1010	inlet and outlet hose extention
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit
SMZ5002	Silver polishing cassette
SMZ5005	Compensating + fixing kit, stainl. steel
SMZ5150AU	Kick panel stainless steel
SMZ5300	GlassSecure Tray

Dishwasher with a hidden control panel and innovative InfoLight wash status.

- ExtraDry: option for additional drying.
- **Rackmatic**: top basket adjustable on three levels offers additional space, especially for tall dishes.
- AquaStop: Bosch's warranty in case of water damage throughout the lifetime of the appliance.*
- Child door lock: Prevents accidental opening of the dishwasher.

Maximum number of place settings:
550 mm
Depth with open door 90 degree: 1150 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet:
Adjustable plinth:Adjustable plinth
Net weight:
Gross weight: 40.0 kg
Connection rating:
Fuse protection:
Voltage:
Frequency:
Length electrical supply cord:
Plug type: AU plug
Length inlet hose:
Length outlet hose:
EAN code:
Installation typology:Built-under
51 05





Series 6, built-under dishwasher, 60 cm, Stainless steel SMP66MX04A

Dishwasher with a hidden control panel and innovative InfoLight wash status.

Capacity

- Capacity: 15 place settings place settings

Consumption rates

- 4 Star energy rating, 5 Star WELS water rating. D02606.
- 12.2 litres water consumption per wash and 245 kWh energy consumption per year, based on the Eco AU 45 °C program with a cold water connection

Design

- Hidden control buttons integrated into the top of the door - Stainless steel interior tub

Wash Programs and Options

- 6programmes:
- - Auto Intensive: Pots & Pans. Baked-on food & grease 65-75 °C,
- Auto Wash: automatic wash & dry for Mixed loads & soil levels 45-65 °C,
- Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels 45 $^{\circ}\mathrm{C}\text{,}$
- - Glass Wash: Sensitive glassware, crystal, & fine china 40 °C,
- - Quick Wash, 60 minutes: Quick wash & dry in 60 minutes. Mixed loads & soil levels 65 °C,
- - Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes 45 $^{\rm o}{\rm C}$
- 3 special options:
- SpeedPerfect: Up to 50% faster wash time.,
- - HalfLoad: For half loads, reduces energy, water & time.,
- - ExtraDry: Provides an even better drying result.
- Machine Care: Helps remove grime and limescale buildup for optimum performance.

Performance

- hydryoDry heat exchanger assists with condensation to help dry dishes
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- 5 Spray levels for maximum water contact and optimum wash results
- 3 stage self-cleaning filter system: design that helps reduce the need to wash the filter and prevents blockages

Flexibility

- $\mathsf{VarioDrawer}^{\mathsf{M}}$: Provides an extra loading level for cutlery and utensils
- RackmaticPlus™: 3-stage top basket can be adjusted to three height

levels to maximise convenience

- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable racks in top basket
- 2 folding plate racks in bottom basket
- Moveable cutlery basket in lower basket
- 2 foldable cup shelves in top basket
- 2 folding plate racks in bottom basket
- Tall glass / champagne glass racks

Convenience

- Very quiet operation 44 dB
- InfoLight® program status indicator
- Time remaining display
- Audible program end
- Time delay start: Delay program start time by 1-24 hours to suit your schedule

Safety


- AquaStop $\ensuremath{^{\texttt{M}}}$ Plus: Water supply device with lifetime anti-flood protection
- Child door lock

Product Dimensions (H x W x D)


- Height 815-875 mm x Width 598 mm x Depth 573 mm



Series 6, built-under dishwasher, 60 cm, Stainless steel SMP66MX04A



 $\stackrel{\mbox{\footnotesize -}}{\rightarrow}$ socket () values with extension kit



measurements in m